

<b>Sustanon, Winstrol and Equipoise Cycle</b>					
	<b>Week 1</b>	<b>Week 2</b>	<b>Week 3</b>	<b>Week 4</b>	<b>Week 5</b>
<b>Sustanon</b>	250mgs/week	250mgs/week	250mgs/week	250mgs/week	250mgs/week
<b>Winstrol Inj.*</b>			50mgs/3 days	50mgs/3 days	50mgs/3 days
<b>Equipoise**</b>					100mgs/3 days
	<b>Week 6</b>	<b>Week 7</b>	<b>Week 8</b>	<b>Week 9</b>	<b>Week 10</b>
<b>Sustanon</b>	250mgs/week	250mgs/week	250mgs/week		
<b>Winstrol Inj.</b>	50mgs/3 days	50mgs/3 days	50mgs/3 days	50mgs/3 days	50mgs/3 days
<b>Equipoise</b>	100mgs/3 days	100mgs/3 days	100mgs/3 days	100mgs/3 days	100mgs/3 days
<b>Clenbuterol***</b>				240mcg/day	240mcg/day
	<b>Week 11</b>	<b>Week 12</b>	<b>Week 13</b>	<b>Week 14</b>	<b>Week 15</b>
<b>Winstrol Inj.</b>	50mgs/3 days	50mgs/3 days			
<b>Equipoise</b>	100mgs/3 days	100mgs/3 days			
<b>Clenbuterol</b>	240mcg/day	240mcg/day	240mcg/day	240mcg/day	
<b>Clomid****</b>			50mgs/day		50mgs/day
<b>Notes:</b>					
* Winstrol injectable is taken every three days.					
** Equipoise taken every three days.					
***Clenbuterol is taken 2 days on and two days off					
**** Clomid should be used for 5 days followed by a 5 day break and then for another 5 days.					
<b>Product needed:</b>					
Sustanon 10ml	1				
Winstrol Inj. 50mg/ml	2 x 20ml				
Equipoise 10ml	1				
Clenbuterol 100tabs	1				
Clomid 50mg/tab	1 x 10 tabs				